

Quality Reporting Measures Crosswalk

This document is intended to serve as a crosswalk for the three different quality-reporting efforts currently underway or set to begin in 2007. Following are the three programs. You can find the measures for these programs on their Web sites, which are also listed below.

1. Doctors Office Quality – Information Technology (DOQ-IT) Measures

[DOQ-IT Ambulatory Care Measures and Resources](#)

2. Medicare Care Management Program (MCMP) Demonstration Project

[MCMP Clinical Quality Measures](#) – PDF format

3. 2007 Physician Quality Reporting Initiative (PQRI)

The measures for PQRI are yet to be finalized and may change up until April 1, 2007 for the 2007 PQRI reporting period, which is July 1, 2007 through December 31, 2007.

[PQRI Physician Quality Measures](#) – PDF Format

I. Diabetes

	Measure	Description	Program
DM-1	A1c Testing Done	Percentage of diabetic patients with one or more A1c test.	DOQ-IT, MCMP
DM-2	A1c Control	Percentage of diabetic patients with a most recent A1c level >9.0%. This is stratified in the PQRI program.	DOQ-IT, MCMP, PQRI #1
DM-3	Blood Pressure Management	Percentage of diabetic patients with a most recent BP <140/90 mmHG. This is stratified in the PQRI program.	DOQ-IT, MCMP, PQRI #3
DM-4	Lipid Measurement Done (LDL)	Percentage of diabetic patients with at least one LDL cholesterol test.	DOQ-IT, MCMP
DM-5	LDL Cholesterol Less Than 130 mg/dl	Percentage of patients with most recent LDL cholesterol <130 mg/dl. In the PQRI program this is less than 100 mg/dl.	DOQ-IT, MCMP, PQRI #2
DM-6	Microalbumin Testing	Percentage of diabetic patients with at least one test for microalbumin during the measurement year, or who had evidence of medical attention for existing nephropathy.	DOQ-IT, MCMP
Dm-7	Eye Exam	<p>Percentage of diabetic patients who received a dilated eye exam or evaluation of retinal photographs by an optometrist or ophthalmologist during the measurement year or during the prior year.</p> <p>PQRI #18: Percentage of diabetic patients with a diagnosis of diabetic retinopathy who had a dilated macular or fundus exam, which included documentation of the level of severity of retinopathy AND the presence or absence of macular edema during one or more office visits within 12 months.</p> <p>PQRI #19: Percentage of diabetic patients who had a dilated macular or fundus exam performed with documented communication to the physician who manages the ongoing care of the patient with diabetes regarding the findings of the macular or fundus exam at least once within 12 months.</p>	DOQ-IT, MCMP, PQRI

	Measure	Description	Program
DM-8	Foot Exam	Percentage of diabetic patients receiving at least one complete foot exam (visual inspection, sensory exam with monofilament and pulse exam).	DOQ-IT, MCMP

II. Congestive Heart Failure

	Measure	Description	Program
HF-1	Left Ventricular Function Assessment	Percentage of CHF patients who quantitative or qualitative results of LVF assessment recorded.	DOQ-IT, MCMP
HF-2	Left Ventricular Ejection Fraction Testing	Percentage of hospitalized CHF patients with a principle diagnosis of heart failure during the current year and who had left ventricular ejection fraction testing during the current year.	DOQ-IT, MCMP
HF-3	Weight Measurement	Percentage of CHF patients with weight measurement recorded.	DOQ-IT, MCMP
HF-4	Blood Pressure Screening	Percentage of patient visits with BP measurement recorded.	DOQ-IT
HF-5	Patient Education	Percentage of CHF patients who were provided with patient education on disease management and health behavior changes during one or more visits within a six-month period.	DOQ-IT, MCMP
HF-6	Beta Blocker Therapy	Percentage of CHF patients who also have LVSD who were prescribed beta-blocker therapy.	DOQ-IT, MCMP, PQRI #8
HF-7	ACE or ARB Inhibitor Therapy Prescribed	Percentage of CHF patients who also have LVSD who were prescribed ACE inhibitor therapy or ARB therapy.	DOQ-IT, MCMP, PQRI #5
HF-8	Warfarin Therapy	Percentage of CHF patients who also have paroxysmal or chronic atrial fibrillation who were prescribed warfarin therapy.	DOQ-IT, MCMP

III. Coronary Artery Disease

	Measure	Description	Program
CAD-1	Antiplatelet Therapy Prescribed	Percentage of CAD patients who were prescribed antiplatelet therapy.	DOQ-IT, MCMP, PQRI #6
CAD-2	Drug Therapy For Lowering LDL Cholesterol	Percentage of CAD patients who were prescribed a lipid-lowering therapy. Based on current ATP II guidelines.	DOQ-IT, MCMP
CAD-3	Beta Blocker Therapy	Percentage of CAD patients who were prescribed with prior myocardial infarction (MI) who were prescribed beta-blocker therapy.	DOQ-IT, MCMP, PQRI #7
CAD-4	Blood Pressure Measurement	Included in preventive measures (MCMP).	DOQ-IT
CAD-5	Lipid Profile	Percentage of CAD patients receiving at least one lipid profile during the reporting year.	DOQ-IT, MCMP
CAD-6	LDL Cholesterol Level	Percentage of CAD patients with most recent LDL cholesterol <130 mg/dl.	DOQ-IT, MCMP
CAD-7	ACE Inhibitor Therapy	Percentage of CAD patients who also have diabetes and/or LVSD who were prescribed ACE inhibitor therapy.	DOQ-IT, MCMP

IV. Hypertension

	Measure	Description	Program
HTN-1	Blood Pressure Measurement	Percentage of HTN patients with BP measurement recorded.	DOQ-IT
HTN-2	Blood Pressure Control	Percentage of HTN patients with last BP <140/90 mmHg.	DOQ-IT
HTN-3	Plan of care	Percentage of HTN patients with either systolic BP >140 mmHg or diastolic BP >90 mmHG with documented plan of care for hypertension.	DOQ-IT

V. Preventive Care

	Measure	Description	Program
PC-1	Blood Pressure Screening	Percentage of patients visits with BP measurement recorded.	DOQ-IT, MCMP
PC-2	Screening For Depression	Percentage of patients who are screened annually in primary care settings.	DOQ-IT
PC-3	Screening For Depression	Percentage of patients with a positive screen for depression and with a follow-up assessment or referral.	DOQ-IT
PC-4	Continuation of Antidepressant Medication	Percentage of patients with Major Depressive Disorder who were continued on medication for a minimum of 16 weeks following remission of symptoms.	DOQ-IT
PC-5	Breast Cancer Screening	Percentage of female patients aged 50-69 years who had a mammogram during the measurement year or the year prior to the measurement period.	DOQ-IT, MCMP
PC-6	Colorectal cancer screening	Percentage of patients 50 years or older who were screened for colorectal cancer during the one year measurement period. FBOT - annually Flexible Sigmoidoscopy – every 5 years Double Contrast Barium Enema – every 5 years Colonoscopy – every 10 years	DOQ-IT, MCMP
PC-7	Influenza Vaccination	Percentage of patients aged 50 years or older with a chronic condition who received an influenza vaccination from September through February of the year prior to the measurement year.	DOQ-IT, MCMP
PC-8	Pneumoccal Vaccination	Percentage of patients aged 65 and older who ever received a pneumoccal vaccination.	DOQ-IT, MCMP
PC-9	Lipid Measurement	Percentage of patients with at least one LDL cholesterol test.	DOQ-IT
PC-10	LDL Cholesterol Level	Percentage of patients with most recent LDL cholesterol <130 mg/dl.	DOQ-IT
PC-11	Tobacco Use	Percentage of patients who were queried about tobacco use one or more times.	DOQ-IT
PC-12	Tobacco Cessation	Percentage of patients identified as tobacco users who received cessation intervention.	DOQ-IT
---	Screening for Fall Risk	Percentage of patients aged 65 years and older who were screened for fall risk at least once within 12 months.	PQRI #4

This material was prepared by Lumetra, the Medicare Quality Improvement Organization for California, under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services. The contents presented do not necessarily reflect CMS policy. 8SOW-CA-1D1-07-38.